




ZUMTOBEL



MELLOW LIGHT

Recessed and surface-mounted ambient luminaire

Indoor Daylight

Offices

Conference Rooms

Healthcare

Education

It is a well-known fact in architecture: The bigger the cubic content, the more difficult it is to guide daylight into the inner areas. MELLOW LIGHT plays with light. It brings the depth of the room to life in the mellow colors of the sky until late at night. Walls and ceilings begin to breathe and give people a renewed sense of outdoor freedom.



Since 1988, MELLOW LIGHT has been an icon in the world of office lighting. Now in its sixth generation, MELLOW LIGHT is shaping the future of workplace illumination, while still referencing the archetypal design of previous generations. Designed in collaboration with Gensler, the newest generation is elegantly detailed and offers greater freedom of design.



MELLOW LIGHT infinity delivers three distributions: volumetric, directional (straight down only) and the combination of both. The injection-molded crystal center optic offers extremely precise illumination designed to focus light directly on the task, thus elevating Center Beam Candle Power (CBCP). MELLOW LIGHT infinity is uniquely different with separately controlled light channels – the center and side optics can be switched (or dimmed) separately – enabling simply task lighting, ambient lighting, or a combination of both.

RECESSED SURFACE



MELLOW LIGHT infinity / evolution

MELLOW LIGHT IV LED



Recessed | Surface
Crystal Optic

Size
2x2 | 1x4

Delivered Lumens
2955 lm – 3196 lm
4259 lm – 4606lm

Watts
31 W
49 W

Efficacy
Up to 110 lm/w

UGR
< 19



Recessed | Surface
Lenticular Optic

Size
2x2 | 1x4

Delivered Lumens
3079 lm – 3459 lm

Watts
34 W

Efficacy
Up to 110 lm/w

UGR
< 19



Recessed
Split Diffusion Optic

Size
2x2 | 1x4

Delivered Lumens
2836 lm – 2953 lm
3904 lm – 4167 lm

Watts
28 W
35 W – 37 W

Efficacy
Up to 112 lm/w

UGR
< 19



Recessed
Mesh Grid Optic

Size
2x2 | 1x4

Delivered Lumens
3174 lm – 3338 lm

Watts
35 W – 37 W


Efficacy
Up to 90 lm/w

UGR
< 19

CCT: 3000 K | 3500 K | 4000 K CRI: 80+


MELLOW LIGHT infinity
Recessed, Crystal Optic
1x4 | 4400 lm | 4000 K

Center only




MELLOW LIGHT infinity
Recessed, Crystal Optic
1x4 | 4400 lm | 4000 K

Wings only



MELLOW LIGHT infinity
Recessed, Crystal Optic
1x4 | 4400 lm | 4000 K

Center and Wings



● Vertical plane distribution



MELLOW LIGHT evolution
1 channel



MELLOW LIGHT evolution

(Single-channel luminaire)

Direct lighting component and wings are controlled together. Visual comfort is optimized throughout the room with glare-free illumination – gently brightening the task area, walls and ceiling.

MELLOW LIGHT IV LED

(Single-channel luminaire)

Direct lighting component and wings are controlled together. A comfortable, efficient alternative.

MELLOW LIGHT infinity


(Two-channel luminaire)

Direct lighting component and wings are controlled separately, allowing for customized task-based lighting. The two lighting wings create a pleasant background brightness, while the center component can be adjusted for optimal task area lighting.

MELLOW LIGHT infinity / evolution

Crystal Optic

Glare-free illumination with up to 4400 lumens makes it ideal for areas that require more than 40 foot candles or where there are greater distances between the luminaires.



Lenticular Optic


Prism louvers create a gentle and homogeneous appearance with up to 3400 lumens and excellent glare suppression.



MELLOW LIGHT IV LED

Mesh Grid Optic

Reduced luminance with a striking aesthetic and up to 3200 delivered lumens.



Split Diffusion Optic

A uniform appearance and optimized light distribution with efficacy up to 100 lm/W.



The brilliant direct light component and the gentle lighting wings can be used separately or together (MELLOW LIGHT infinity only)

Similar to daylight: gentle, glare-free light distribution without any distracting harsh shadows

Well-balanced illumination of the work plane, walls and ceilings for a bright, open room atmosphere

Easily controlled for today's offices, conference rooms and educational facilities

Crystal Optic (MELLOW LIGHT infinity / evolution) or Mesh Grid Optic (MELLOW LIGHT IV) for optimum glare control

Lenticular Optic (MELLOW LIGHT infinity / evolution) or Split Diffusion Optic (MELLOW LIGHT IV) for a more uniform appearance

**USA and Canada
Zumtobel Lighting Inc.**

3300 Route 9W
Highland, NY 12528
T 845-691-6262
F 800-448-4131
info.us@zumtobelgroup.com
zumtobel.us

Zumtobel Lighting, Inc. (Americas Division), based in Highland, New York, is a subsidiary of Zumtobel Group AG. As an innovation leader in the North and South American markets, Zumtobel provides next-generation lighting solutions and luminaires. Designed in both the United States and Austria, Zumtobel luminaires are manufactured in Highland, New York. Zumtobel Lighting, Inc. strives to meet the evolving needs of its customers and ships its most popular product in 10 days or less and standard product offerings within four – six weeks with an industry leading 98% on-time delivery rate.

Zumtobel is a brand of Zumtobel AG with its head office in Dornbirn, Vorarlberg (Austria).